

# RESTRICTED USE PESTICIDE

**Due to Acute Oral, Dermal and Inhalation Toxicity and Risks to Aquatic Organisms and Wildlife.**  
For retail sale to, and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator,  
and only for those uses covered by the Certified Applicator's certification.



## Systemic Insecticide-Nematicide

### SECTION 18 EMERGENCY EXEMPTION 14-GA-03

### FOR DISTRIBUTION AND USE ONLY IN GEORGIA

**FOR USE ONLY IN THE FOLLOWING COUNTIES:** Appling, Atkinson, Bacon, Baker, Ben Hill, Berrien, Bleckley, Brooks, Bulloch, Burke, Calhoun, Candler, Clay, Coffee, Colquitt, Cook, Crisp, Decatur, Dodge, Dooley, Early, Emanuel, Grady, Houston, Irwin, Jeff Davis, Jefferson, Jenkins, Johnson, Lanier, Laurens, Lee, Macon, Miller, Mitchell, Montgomery, Pierce, Pulaski, Randolph, Screven, Seminole, Sumter, Tattall, Telfair, Terrell, Thomas, Tift, Toombs, Turner, Ware, Wayne, Wheeler, Wilcox and Worth

**Expires July 1, 2014**

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

All applicable directions, restrictions, Worker Protection Standard (WPS) requirements, and precautions of the federally registered product label for Counter<sup>®</sup> 20G Systemic Insecticide - Nematicide (EPA Reg. No. 5481-562), as well as the Section 18 directions, must be followed.

This section 18 label contains directions for use that do not appear on the EPA registered label of Counter 20G Insecticide Nematicide.

This label must be in possession of the user at the time of pesticide application.

#### Directions for use on cotton

PEST	RATE OF COUNTER <sup>®</sup> 20G SYSTEMIC INSECTICIDE-NEMATICIDE (per acre)	REMARKS
Nematodes: Root Knot	6.5 – 10 lbs./A	Apply granules evenly in-furrow at planting time directly into the open seed furrow (36 to 40-inch row spacing) behind the planter shoe and immediately cover with soil by mechanical means, so that granules are completely covered with soil. Soil temperature, moisture and tilth should be favorable for good germination and emergence

#### Use Restrictions:

- The maximum single at-plant application rate is 10 lbs. Counter 20G /A or 2 lbs. a.i./A.
- Do not apply after planting.
- Crop injury may occur if applications of a urea herbicide (such as Karmex<sup>®</sup>, Direx<sup>®</sup>, or Diuron herbicides or fluometuron-containing herbicides such as Cotoran<sup>®</sup>) are made in conjunction with soil-applied organophosphate pesticides.
- Postemergence ALS-inhibiting herbicides such as Staple<sup>®</sup> or Evoke<sup>®</sup> SHOULD NOT be used if Counter 20G has been applied to cotton at the time of planting.
- Do not graze or harvest cotton within 30 days after at-planting application.

Counter is a registered trademark, in the US and some other countries, of AMVAC Chemical Corporation.

Staple is a trademark of E.I. DuPont de Nemours and Company.

Cotoran, direx and Karmex are trademarks of Agan Chemical Manufacturers, Ltd.

Evoke is a trademark of Syngenta Participations Ag.

©2014 AMVAC Chemical Corporation. All Rights Reserved.