

UGA On-Farm Cotton Variety Evaluation Program – Whitaker, 2015

Variety	Average Lint Yield (lb/A)	LSD Letters		Yield Different From Other 11 Varieties	Frequency of Top Performance (% of 19 Locations)				
		5%	10%		Above Trial Average	Top 4	Top 3	Top 2	Top 1
DP 1538 B2XF	1,298	a	a	103	84	53	42	37	37
DP 1558NR B2RF	1,270	ab	ab	72	84	53	37	21	16
CG 3885 B2XF	1,266	ab	ab	67	95	74	58	42	16
DP 1553 B2XF	1,254	ab	abc	5	74	58	47	26	5
ST 6182 GLT	1,237	abc	bcd	36	79	37	37	26	11
DP 1252 B2RF	1,211	bcd	cde	8	74	37	21	16	0
NG 5007 B2XF	1,188	cde	def	-17	42	21	16	11	0
PHY 333 WRF	1,179	cde	efg	-27	37	26	16	16	11
PHY 444 WRF	1,166	de	efg	-42	32	16	16	5	5
PHY 552 WRF	1,144	ef	fgh	-65	21	11	5	0	0
ST 4946 GLB2	1,131	ef	gh	-80	16	11	5	0	0
NG 3405 B2XF	1,097	f	h	-116	5	0	0	0	0