


2015 Disease Risk Spray Schedules



Field Name _____

Planting Date _____

LOW RISK

LEAF SPOT
45 DAP¹
1st Spray
Headline®
9 oz

LEAF SPOT/WHITE MOLD/LIMB ROT
65
2nd Spray
CONVOY 21 oz +
Chlorothalonil 16 oz + Topsin® 5 oz

LEAF SPOT
86
3rd Spray
CONVOY 21 oz +
Headline 6-9 oz

LEAF SPOT
107
4th Spray
Chlorothalonil 16 oz +
Topsin 5 oz

MODERATE RISK

LEAF SPOT
40 DAP¹
1st Spray
Headline
9 oz

LEAF SPOT/WHITE MOLD/LIMB ROT
60
2nd Spray
CONVOY 15-17 oz +
Chlorothalonil 16 oz +
Topsin 5 oz

LEAF SPOT/WHITE MOLD/LIMB ROT
81
3rd Spray
CONVOY 15-17 oz +
Headline 6-9 oz

LEAF SPOT
102
4th Spray
CONVOY 15-17 oz +
Chlorothalonil 24 oz

LEAF SPOT
116
5th Spray
Chlorothalonil 16 oz +
Topsin 5 oz

HIGH RISK

LEAF SPOT
40 DAP¹
1st Spray
Headline
9 oz

LEAF SPOT/WHITE MOLD/LIMB ROT
60
2nd Spray
CONVOY 13 oz +
Chlorothalonil 16 oz +
Topsin 5 oz

LEAF SPOT/WHITE MOLD/LIMB ROT
75
3rd Spray
CONVOY 13 oz +
Chlorothalonil 24 oz

LEAF SPOT
90
4th Spray
CONVOY 13 oz +
Headline 6-9 oz


LEAF SPOT
105
5th Spray
CONVOY 13 oz +
Chlorothalonil 16 oz +
Topsin 5 oz

LEAF SPOT
120
6th Spray
Chlorothalonil
24 oz

YOUR PROGRAM

¹ Days After Planting. Notes: Use higher rate of CONVOY if white mold risk increases to High Risk category. CONVOY only controls soilborne diseases (*Sclerotium rolfsii*-white mold; *Rhizoctonia solani*-limb rot). A foliar disease spray program must be added for management of leaf spot.

See reverse side to assess the Peanut Disease Risk Index developed by:



Peanut Rx™ is a trademark of University of Georgia.

©2015 Nichino America, Inc. All rights reserved. CONVOY and Nichino America logo are registered trademarks of Nichino America, Inc. Headline is a registered trademark of BASF. Thimet is a registered trademark of Amvac Chemical Corporation. Topsin is a registered trademark of Nippon Soda Company Ltd. Classic is a registered trademark of E.I. du Pont de Nemours and Company. Always read and follow label directions. 1-888-740-7700 www.nichino.net